


<p>Any questions, please call:</p> <p>First Brands Corporation 83 Wooster Heights Road Building 301 Danbury, CT 06813-1911</p> <p>Telephone: (203) 731-2300</p>	<p>EMERGENCY TELEPHONE (24 Hours)</p> <p>CHEMTREC (800) 424-9300 483-7616 in District of Columbia</p>	<p>NFPA HAZARD CODE</p> <p>4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p> 
---	---	---

## I. IDENTIFICATION

**PRODUCT NAME** SCOOP AWAY®

**TYPE** Cat Litter

**FORMULA** WS-11-9-92

## II. PHYSICAL DATA

**BOILING POINT, 760 mm Hg** Not applicable

**FREEZING POINT** Not applicable

**DENSITY (at 68°F)** Not determined

**VAPOR DENSITY (Air = 1)** Not determined

**VAPOR PRESSURE (at 68°F)** Not determined

**VOLATILES BY VOLUME** Not determined

**SOLUBILITY IN WATER, by Wgt.** Negligible

**EVAPORATION RATE (Butyl Acetate = 1)** Not determined

**APPEARANCE AND ODOR** Tan, oderless granules

**VISCOSITY (at 68°F)** Not applicable

**pH** Not applicable

**III. HAZARDOUS INGREDIENTS**

MATERIAL	%	CAS #	EXPOSURE LIMIT	SOURCE
Natural clay materials	>99	mixture	10 mg/m <sup>3</sup> 15 mg/m <sup>3</sup> (total dust)	(2) (1)
containing up to 15% crystalline silica			0.05 mg/m <sup>3</sup> (cristobalite) 0.1 mg/m <sup>3</sup> (quartz)	(3) (3)

Crystalline silica has been identified by IARC as a probable carcinogen, Group 2A. None of the other ingredients is listed as a carcinogen or potential carcinogen by OSHA, NTP or IARC.

The source for exposure limits listed above are:

- (1) OSHA Permissible Exposure Limit (effective 9/89)
- (2) ACGIH Threshold Limit Value (1992-93 Edition)
- (3) Both the OSHA PEL and ACGIH TLV
- (4) Recommended by the Manufacturer

**IV. FIRE AND EXPLOSION HAZARD DATA****FLASH POINT**

TOC None  
SETAFLASH None

**FLAMMABLE LIMITS IN AIR, % BY VOLUME:**

LOWER: Not determined  
UPPER: Not determined

**AUTOIGNITION TEMPERATURE**

Not determined

**EXTINGUISHING MEDIA**

Not applicable

**SPECIAL FIRE FIGHTING PROCEDURES**

Use positive pressure self contained breathing apparatus when entering a confined space.

**UNUSUAL FIRE AND EXPLOSION HAZARDS**

None expected

**V. HEALTH HAZARD DATA****EFFECTS OF SINGLE OVEREXPOSURE**

<b>SWALLOWING</b>	No evidence of adverse effects from available information.
<b>SKIN ABSORPTION</b>	No evidence of adverse effects from available information.
<b>INHALATION</b>	No evidence of adverse effects from available information.
<b>SKIN CONTACT</b>	No evidence of adverse effects from available information.
<b>EYE CONTACT</b>	May cause mild transient irritation with excess tear production, blinking, reddening and pain.

**EFFECTS OF REPEATED OVEREXPOSURE**

This product contains a small amount of crystalline silica. Repeated inhalation of large amounts of silica dust over an extended period of time may result in adverse effects on the lungs.

**OTHER EFFECTS OF OVEREXPOSURE**

None currently known.

**MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE**

None currently known.

**SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH HAZARDS**

The International Agency for Research on Cancer has determined that crystalline silica is a probable carcinogen (Group 2A). This determination was based on some "sufficient evidence" that crystalline silica can cause cancer in experimental animals; and on some "limited evidence" that it can cause lung cancer in workers who have inhaled large amounts of crystalline silica over the years. This product has not been classified as a carcinogen by the National Toxicology Program or the Occupational Safety and Health Administration. A risk assessment done on this product showed that no increase cancer risk would be expected from the customary use of this product over a persons lifetime.

**EMERGENCY AND FIRST AID PROCEDURES**

<b>SWALLOWING</b>	Clear material from mouth. No harmful effect expected from a small ingestion. If a very large ingestion is taken call a physician, poison control center or emergency room for advice.
<b>SKIN</b>	No emergency care anticipated.
<b>INHALATION</b>	No emergency care anticipated.
<b>EYES</b>	Exposed eyes should be immediately flushed with copious amounts of water. Hold eyelids apart to ensure rinsing the entire surface of the eye with water. Avoid rubbing the eyes as this may result in further mechanical irritation. If irritation or pain persists, seek medical attention.
<b>NOTES TO PHYSICIAN</b>	There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and clinical condition.

**VI. REACTIVITY DATA**

<b>STABILITY</b>	Stable
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur
<b>CONDITIONS TO AVOID</b>	None
<b>INCOMPATIBILITY (Materials to Avoid)</b>	Contact of material with unsaturated organic compounds, and with hydrofluoric acid may generate heat.
<b>HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS</b>	None

**VII. SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**

Wear suitable personal protective equipment. Collect for disposal.

**WASTE DISPOSAL METHOD**

Incinerate or landfill in accordance with federal, state and local regulations.

**VIII. SPECIAL PROTECTION INFORMATION****(for manufacturing and bulk spill cleanup)****RESPIRATORY PROTECTION**

None needed under normal use conditions. For operations where the TLV may be exceeded, a NIOSH/MSHA approved dust/mist respirator may be used. Equipment selection depends on contaminant type and concentration, select in accordance with 29 CFR 1910.134 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**VENTILATION**

General ventilation should be adequate for normal use. For operations where dust is generated and the TLV may be exceeded, local exhaust ventilation should be provided.

**PROTECTIVE GLOVES**

Not needed under normal use conditions.

**EYE PROTECTION**

None needed under normal use conditions. Safety glasses with side shield or dust goggles should be used where dusty conditions exist.

**OTHER PROTECTIVE EQUIPMENT**

None needed under normal conditions.

**IX. SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

- Avoid contact with eyes.
- Avoid generation of airborne dust.
- Store in a dry area.

**OTHER PRECAUTIONS**

- Observe all requirements of plant, company or government regulations.
- Keep out of the reach of children.

**X. DEPARTMENT OF TRANSPORTATION****HAZARDOUS MATERIALS DESCRIPTION  
AND PROPER SHIPPING NAME**

None

**TECHNICAL NAME**

None

**HAZARD CLASS**

None

**IDENTIFICATION NUMBER**

None

**LABEL(S) REQUIRED**

None

**XI. ENVIRONMENTAL DATA****EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW INFORMATION**

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (SARA 313 - Toxic Chemical Release Reporting).

Chemical Name	CAS#	Weight %
None		

**Hazardous Under OSHA/SARA 311/312**

This product is considered "hazardous" using OSHA criteria, category chronic health effect.

**EPA Toxic Substance Control Act (TSCA)**

All of the ingredients are listed on the TSCA inventory.

This MSDS is directed to professional users and bulk handlers of the product. Consumer products are labeled in accordance with Federal Hazardous Substances Act regulations.

While First Brands Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which First Brands Corporation assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

If more information is needed, please contact:

R. L. Lewis  
First Brands Corporation  
88 Long Hill St.  
East Hartford CT 06108  
(203)728-6194