



Material Safety Data Sheet

Section 1. Product and Company Identification

Product Name	NOXON® 7 METAL POLISH	MSDS#
Product Description	An easy to use, thick formula metal polish that cleans and shines seven metals, Stainless Steel, Aluminum, Chrome, Pewter, Brass, Bronze and Copper.	Validation Date 5/31/2000 Print Date 1/15/2001
Manufacturer	Reckitt Benckiser Inc. 1655 Valley Road Wayne, N.J. 07474	In case of Emergency: Telephone: 800-228-4722 Transportation Emergencies: Chemtrec: 800-424-9300
Product Identifier	Not available.	
Item Number	890577	
Formula Number	112-95; 107-87	
UPC Number	62338-00117 (12 oz.), 62338-00119 (1 gal.)	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits : TLV/PEL
1) OXALIC ACID	144-62-7	1-5	TWA: 1 STEL: 2 (mg/m ³) from ACGIH (TLV) TWA: 1 (mg/m ³) from OSHA (PEL)
2) SILICA, CRYSTALLINE	14808-60-7	10-20	TWA: 0.1 (mg/m ³) from ACGIH (TLV) Respirable. TWA: 0.3 (mg/m ³) from OSHA (PEL) Respirable.
3) ETHANOL	64-17-5	1-5	TWA: 1880 (mg/m ³) from ACGIH (TLV) TWA: 1000 (ppm) from ACGIH (TLV) TWA: 1900 (mg/m ³) from OSHA
4) ISOPROPYL ALCOHOL	67-63-0	1-5	TWA: 1000 (ppm) from OSHA TWA: 983 STEL: 1230 (mg/m ³) from ACGIH (TLV) TWA: 400 STEL: 500 (ppm) from ACGIH (TLV) TWA: 980 STEL: 1230 (mg/m ³) from OSHA
5) AMMONIUM HYDROXIDE	1336-21-6	1-5	TWA: 400 (ppm) from OSHA Not available.

Section 3. Hazards Identification

Emergency Overview	CAUTION: Eye irritant. Avoid contact with eyes. KEEP OUT OF REACH OF CHILDREN.
---------------------------	--

Section 4. First Aid Measures

Eye Contact	In case of eye contact, immediately rinse eyes with plenty of water, remove any contact lenses and continue to rinse eyes with water for at least 15 minutes. If irritation persists, get medical attention.
Skin Contact	In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water.
Inhalation	Remove to fresh air.
Ingestion	If swallowed, drink one or two glasses of milk or water. Call a physician or poison control center immediately.

Section 5. Fire and Explosion Data

Flammability	Combustible. See Section 14 for any Shipping Classifications.
Flash Point	CLOSED CUP: 40.556°C (105°F).
Explosive Limits in Air	Not available.
Products of Combustion	Not available.
Fire and Explosion Hazards	None known.
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable, for the surrounding fire.
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective clothing appropriate for fighting a chemical fire.

Section 6. Accidental Release Measures

Accidental Spill	Small spills: Soak up with absorbent material. Dispose of collected waste from small spill in household trash. Large spills should be contained and collected for later disposal according to local, state or federal hazardous waste regulations.
------------------	---

Section 7. Handling and Storage

Handling and Storage	CAUTION: Eye irritant. Avoid contact with eyes. Store in original container in secure area inaccessible to children and pets. Avoid freezing. KEEP OUT OF REACH OF CHILDREN. Not for use on silver, lacquered, painted or antiqued finished surfaces.
----------------------	---

Section 8. Exposure Controls/Personal Protection

Ventilation Requirements	None required.
Eye Protection	Avoid contact with eyes.
Skin Protection	None required.
Respiratory Protection	None required.
Other Protection	None required.
Work/Hygienic Practices	Washing with soap and water after use is recommended as good hygienic practice to prevent possible skin irritation and/or eye irritation from hand contact.

Section 9. Physical and Chemical Properties

Description	Liquid. (Viscous opaque liquid.)	Odor	Ammoniacal
pH	9.9 [Basic.]	Color	Off-white to Tan.
Boiling/Condensation Point	Not determined.		
Specific Gravity	9.2- 9.5 lbs per gal @ 25°C.		
Vapor Pressure	Not determined.		

Continued on Next Page

Vapor Density	Not determined.
Viscosity	Not available.
Solubility	Emulsifies.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity Data

Chemical Stability	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Do not use on silver, lacquered, painted, or antiqued finished surfaces.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	None known.

Section 11. Toxicological Information

Exposure effects

Eye Contact	Eye irritant.
Skin Contact	Not a primary skin irritant.
Inhalation	Not toxic by inhalation.
Ingestion	Not orally toxic.
Carcinogenicity	Respirable crystalline silica is designated as a IARC Group 1 carcinogen, NTP suspect carcinogen and OSHA suspect carcinogen. However, the silica present in this product is not in a respirable form, when used according to label directions.

Section 12. Ecological Information

Ecotoxicity	Not available.
-------------	----------------

Section 13. Disposal Considerations

Waste Disposal	Discard empty container in trash. Dispose of large quantities of waste liquid in accordance with local, state and federal hazardous waste regulations.
----------------	--

Section 14. Transport Information

DOT Classification	Not a DOT controlled material (United States).
--------------------	--

Proper Shipping Name	Not applicable.
----------------------	-----------------

DOT Identification Number	Not applicable.
---------------------------	-----------------

Packing Group	Not applicable.
---------------	-----------------

Maritime Transportation	Not available.
-------------------------	----------------

Hazardous Substances Reportable Quantity	Not available.
Special Provisions for Transport	For domestic shipments ONLY, Per 49 CFR 173.150 (f) & (2), a flammable liquid with a flash point at or above 38°C (100°F) that does not meet the definition of any other hazard class may be reclassified as a combustible liquid. Therefore, any non-bulk packaging containing a reclassified flammable may be shipped as non-hazardous.
TDG Classification	Transborder Consignment.
ADR Classification	Not available.
IMDG Classification	Flammable liquid, n.o.s. (Ethanol, Isopropanol) class 3.3, UN1993, III-LTD QTY
IATA Classification	62338-00117 ONLY Flammable liquid, n.o.s. (Ethanol, Isopropyl Alcohol) 3, UN1993, III-LTD QTY 62338-00119 Does not meet IATA requirements.

Section 15. Regulatory Information

Federal and State Regulations	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:		
	1) ISOPROPYL ALCOHOL	CAS #: 67-63-0	1-5 %
	2) AMMONIUM HYDROXIDE	CAS #: 1336-21-6	1-5 %
	California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:		
	1) SILICA, CRYSTALLINE	CAS #: 14808-60-7	10-20 %

Other Classifications	WHMIS (Canada) Not controlled under WHMIS (Canada).
------------------------------	--

Section 16. Other Information

HMIS (U.S.A.)	Health Hazard	1	National Fire Protection Association (U.S.A.)		Fire Hazard	2
	Fire Hazard	2			Health	1
	Reactivity	0			Specific hazard	
	Personal Protection	a				

NFPA Aerosol Level Not applicable.

Validated by Product Safety on 5/31/2000.

Printed 1/15/2001.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.