



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

213504 Part# GE5070  
SILICONE,GE,BATH,10-OZ #5070  
2304000 MOMENTIVE PERF. MATERIALS  
Buyer: Bernard W. Aubuchon Jr.

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Manufactured By:** Canada Plant  
1063 Copperstone Drive  
Pickering ON L1W 3V8  
**Revised:** 04/09/2008  
**Preparer:** PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS  
**CHEMTEC** 1-800-424-9300

**Chemical Family/Use:** Sealant  
**Formula:** Mixture

**HMIS**  
Flammability: 1      Reactivity: 0      Health: 1

**NFPA**  
Flammability: 1      Reactivity: 0      Health: 1

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

WARNING! May be harmful if swallowed. May cause adverse reproductive effects. Adverse reproductive effects reported in animals. May cause irritation of skin and eyes. May cause respiratory tract irritation.  
Form: Solid      Color: White      Odor: Slight

**POTENTIAL HEALTH EFFECTS**

**INGESTION**

May be harmful if swallowed. Irritation of the mouth, throat, and stomach.

**SKIN**

Uncured product contact will irritate lips, gums and tongue. May cause skin irritation.

**INHALATION**

Applies in uncured state. Irritating to respiratory system. Causes irritation of the mouth, nose, and throat. Avoid inhalation of vapour or mist.

**EYES**

Eye irritation on contact with the uncured product. High vapor concentration will cause irritation.

**MEDICAL CONDITIONS AGGRAVATED**

Pre-existing skin or respiratory diseases.

**SUBCHRONIC (TARGET ORGAN )**

None known.

**CHRONIC EFFECTS / CARCINOGENICITY**

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

## **XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG** **Paintable Sealant**

### **5. FIRE-FIGHTING MEASURES**

**FLASH POINT:** > 93.3 °C; 200 °F  
**METHOD:** estimated  
**IGNITION TEMPERATURE:** Unknown  
**FLAMMABLE LIMITS IN AIR - LOWER (%):** Not applicable  
**FLAMMABLE LIMITS IN AIR - UPPER (%):** Not applicable

**SENSITIVITY TO MECHANICAL IMPACT:** No

**SENSITIVITY TO STATIC DISCHARGE**  
Sensitivity to static discharge is not expected.

**EXTINGUISHING MEDIA**  
All standard extinguishing agents are suitable.

**SPECIAL FIRE FIGHTING PROCEDURES**  
Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

### **6. ACCIDENTAL RELEASE MEASURES**

**ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**  
Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section. Increase area ventilation.

### **7. HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE**  
**CAUTION!** Avoid contact with skin and eyes. Use only in well-ventilated areas. Eye irritation on contact with the uncured product. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the fingertips, nails and cuticles. Residual sealant may remain on fingers for several days and transfer to lenses and cause severe eye irritation. Product releases methanol during application and curing.

### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**ENGINEERING CONTROLS**  
Eyewash stations



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

**12. ECOLOGICAL INFORMATION**

**ECOTOXICITY**

No data available

**DISTRIBUTION**

No data available

**CHEMICAL FATE**

No data available

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD**

Disposal should be made in accordance with federal, state and local regulations.

**14. TRANSPORT INFORMATION**

**Further Information:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. REGULATORY INFORMATION**

**Inventories**

China Inventory of Existing Chemical Substances	n (Negative listing)
EU list of existing chemical substances	y (Positive listing)
Canada DSL Inventory	y (Positive listing)
Canada NDSL Inventory	n (Negative listing)
Japan Inventory of Existing & New Chemical Substances (ENCS)	n (Negative listing)
Australia Inventory of Chemical Substances (AICS)	n (Negative listing)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	n (Negative listing)



**MOMENTIVE**

performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

**10. STABILITY AND REACTIVITY**

**STABILITY**

Stable

**HAZARDOUS POLYMERIZATION**

Will not occur

**HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS**

Methanol; Carbon dioxide (CO<sub>2</sub>); Formaldehyde; Carbon monoxide; Silicon dioxide.

**INCOMPATIBILITY (MATERIALS TO AVOID)**

None known.

**CONDITIONS TO AVOID**

None known.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE ORAL**

Remarks: Not applicable.

**ACUTE DERMAL**

Remarks: Not applicable.

**ACUTE INHALATION**

Remarks: Not applicable.

**OTHER**

Contains dibutyltin compound(s) - May impair fertility. May cause harm to unborn child.

**SENSITIZATION**

No data available

**SKIN IRRITATION**

No data available

**EYE IRRITATION**

No data available

**MUTAGENICITY**

Unknown

**OTHER EFFECTS OF OVEREXPOSURE**

Methanol released during curing.



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

**RESPIRATORY PROTECTION**

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**PROTECTIVE GLOVES**

Rubber or plastics gloves

**EYE AND FACE PROTECTION**

Safety glasses

**OTHER PROTECTIVE EQUIPMENT**

Wear suitable protective clothing and eye/face protection.

**Exposure Guidelines**

Component	CAS RN	Source	Value
Stearic Acid	57-11-4	ACGIH, TWA	10 mg/m3

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>BOILING POINT - C &amp; F:</b>	Not applicable
<b>VAPOR PRESSURE (20 C) (MM HG):</b>	Negligible
<b>VAPOR DENSITY (AIR=1):</b>	No data available
<b>FREEZING POINT:</b>	Not applicable
<b>MELTING POINT:</b>	Not applicable
<b>PHYSICAL STATE:</b>	Solid
<b>ODOR:</b>	Slight
<b>COLOR:</b>	White
<b>EVAPORATION RATE (BUTYL ACETATE=1):</b>	Not applicable
<b>SPECIFIC GRAVITY (WATER=1):</b>	1.40
<b>DENSITY:</b>	1.4 g/cm3
<b>ACID / ALKALINITY (MEQ/G):</b>	Unknown
<b>pH:</b>	Not applicable
<b>VOLATILE ORGANIC CONTENT (VOL):</b>	2.3 %(m)
<b>SOLUBILITY IN WATER (20 C):</b>	Insoluble
<b>SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT):</b>	Toluene
<b>VOC EXCL. H2O &amp; EXEMPTS (G/L):</b>	39



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

---

TSCA list y (Positive listing)  
Korea Existing Chemicals y (Positive listing)  
Inventory (KECI)

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

**US Regulatory Information**

**SARA (311,312) HAZARD CLASS**  
Acute Health Hazard; Chronic Health Hazard

**SARA (313) CHEMICALS**  
107-15-3, Ethylenediamine

**CALIFORNIA PROPOSITION 65**

**Canadian Regulatory Information**

**WHMIS HAZARD CLASS**  
D2B TOXIC MATERIALS

**16. OTHER INFORMATION**

**OTHER**

C = ceiling limit      NEGL = negligible      EST = estimated      NF = none found      NA = not applicable  
UNKN = unknown      NE = none established      REC = recommended      ND = none determined  
V = recommended by vendor      SKN = skin      TS = trade secret      R = recommended  
MST = mist      NT = not tested      STEL = short term exposure limit      ppm = parts per million  
ppb = parts per billion      By-product = reaction by-product, TSCA inventory status not required under 40 CFR part 720.30(h-2)., These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.



**MOMENTIVE**  
performance materials

Version: 1.12  
04/09/2008

**XST SILICONE II WHITE GE7000/12C/1.0LBS-0.459KG**  
**Paintable Sealant**

suspected carcinogen by NTP, IARC, or OSHA.

**ROUTES OF EXPOSURE**

Eyes; Inhalation; Dermal

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>PRODUCT COMPOSITION</u>	<u>CAS REG NO.</u>	<u>WGT. %</u>
<b>A. HAZARDOUS</b>		
Stearic Acid	57-11-4	1 - 5 %
DIBUTYL TINOXIDE	818-08-6	< 1 %
<b>B. NON-HAZARDOUS</b>		
CALCIUM CARBONATE	1317-65-3	30 - 60 %
Methoxysilyl capped polyether	75009-88-0	10 - 30 %
Limestone	471-34-1	10 - 30 %
SILYL TERMINATED POLYETHER	151865-59-7	5 - 10 %

**4. FIRST AID MEASURES**

**INGESTION**

Do not induce vomiting. If victim is conscious, give 1-3 glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation persists.

**SKIN**

To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. Get medical attention if irritation persists.

**INHALATION**

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

**EYES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**NOTE TO PHYSICIAN**

None known.