

TOUCH 'N FOAM MATERIAL SAFETY DATA SHEET



**MATERIAL SAFETY DATA SHEET**

**SECTION I - PRODUCT INFORMATION**

**Products:**

Touch 'n Foam® All-Direction Dispensing Triple Expanding;  
 Touch 'n Foam® All-Direction Dispensing Minimal Expanding;  
 Touch 'n Foam® All-Direction Dispensing Fast Drying

**Manufacturer:**

Convenience Products Date Prepared  
 866 Horan Drive 5/3/2000  
 Fenton, MO 63026-2416 USA

Emergency Number: 1-800-424-9300 (Chemtrec)  
 (636) 349-5333 (Convenience Products)

**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

CHEMICAL NAME	CAS NO.	OSHA PEL	ACGIH TLV	PERCENTAGE
Methylene bisphenyl isocyanate**	101-68-8	0.02 ppm	0.005 ppm	9-13
Polymethylene Polyphenyl Isocyanate	9016-87-9	*NE	*NE	33-42
Chlorinated Phosphate	13674-84-5	*NE	*NE	10-12
Dimethylether	115-10-6	*NE	*NE	2-8
Propane	74-98-6	1000 ppm	1000 ppm	2-5
Isobutane	75-28-5	*NE	*NE	5-9
Polyether Polyol	Mixture 25322-69-4 25791-96-2	*NE	*NE	22-33

TOUCH 'N FOAM MATERIAL SAFETY DATA SHEET

**HMIS Health 3 Flammability 4 Reactivity 1**

Volatile organic compounds (VOC): 152 g/l

\*Not established

\*\*This product is a toxic chemical (or chemicals) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40 CFR 372).

**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**

**Boiling Pointg** -43.7fF (-42fC) (Estimated for Propellant)  
**Vapor Pressure** 165 psig at 130°  
**Vapor Density** (AIR = 1)Heavier than Air  
**Specific Gravity** (H<sub>2</sub>O = 1)1.01 g/ml at 25°C  
**Solubility in Water** N/A  
**Appearance and Odor** Gel under pressure/faint hydrocarbon odor

**PRODUCT:**TOUCH 'N FOAM® ALL-DIRECTION DISPENSING TRIPLE EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING MINIMAL EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING FAST DRYING

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

**Flash Point** Estimated: -156fF (-104fC)  
**Flammable Limits in air % by Volume** UEL Upper 10% (Estimated)  
LEL Lower 1.8% (Estimated)  
**Extinguishing Media** Water fog, foam, CO<sub>2</sub>, or dry chemical  
**Fire Fighting Procedures** Fire fighters should wear full self-contained breathing apparatus and full protective clothing.  
**Unusual Hazards** Avoid storage temperatures above 120fF to prevent can explosions. Avoid water contamination in closed container.

**SECTION V - REACTIVITY DATA**

**Stability** Stable under normal storage and handling conditions. Do not store above 120fF. Cured foam will deteriorate when exposed to UV light.  
**Incompatibility** Water, alcohols, strong bases, finely powdered metal such as aluminum, magnesium or zinc, and strong oxidizers.  
**Conditions/Hazards to Avoid** Contamination with water may form CO<sub>2</sub>. Avoid high heat; i.e., flames, extremely hot metal surfaces, heating elements, combustion engines, etc. Do not store in auto or direct sunlight.

## SECTION VI - HEALTH HAZARD DATA

### Toxicology Test Data

MDI:

Rat, 4 hr Inhalation LC50 - Aerosol 490 mg/m<sup>3</sup>

Highly Toxic Rat, 4 hr Inhalation LC50 - Vapor 11 mg/l

Toxic

Rat, Oral LD50 - > 10,000 mg/kg

Practically Nontoxic

Rat, Inhalation Oncogenicity Study - @ ~0.2, 1, 6 mg/m<sup>3</sup>

URT irritant; Carcinogenic @ 6 mg/m<sup>3</sup> Polyurethane Resin

NE\*

### Acute Overexposure Effects

Eye contact with MDI may result in conjunctival irritation and mild corneal opacity. Skin contact may result in dermatitis, either irritative or allergic. Inhalation of MDI vapors may cause irritation of the mucous membranes of the nose, throat or trachea, breathlessness, chest discomfort, difficult breathing and reduced pulmonary function. Air-borne overexposure well above the PEL may result additionally in eye irritation, headache, chemical bronchitis, asthma-like findings or pulmonary edema. Isocyanates have also been reported to cause hypersensitivity pneumonitis, which is characterized by flu-like symptoms, the onset of which may be delayed. Gastrointestinal symptoms include nausea, vomiting and abdominal pain.

### PRODUCT:

TOUCH 'N FOAM® ALL-DIRECTION DISPENSING TRIPLE EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING MINIMAL EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING FAST DRYING

Polyurethane resin forms a quick bond with skin. Cured foam is hard to remove from skin. May cause eye damage.

### Chronic Overexposure Effects

Acute or chronic overexposure to isocyanates may cause sensitization in some individuals, resulting in allergic symptoms of the lower respiratory tract (asthma-like), including wheezing, shortness of breath and difficulty breathing. Subsequent reactions may occur at or substantially below the PEL and TLV. Asthma caused by isocyanates, including MDI, may persist in some individuals after removal from exposure and may be irreversible. Some isocyanate sensitized persons may experience asthma reactions upon exposure to non-isocyanate containing dusts or irritants. Cross sensitization to different isocyanates may occur. Long-term overexposure to isocyanates has also been reported to cause lung damage, including reduced lung function, which may be permanent. An animal study indicated that MDI may induce respiratory hypersensitivity following dermal exposure.

### **Carcinogenicity**

Results from a lifetime inhalation study in rats indicate that MDI aerosol was carcinogenic at 6 mg/m<sub>3</sub>, the highest dose tested. This is well above the recommended TLV of 5 ppb (0.05 mg/m<sub>3</sub>). Only irritation was noted at the lower concentration of 0.2 and 1 mg/m<sub>3</sub>.

### **Medical Conditions Generally Aggravated by Exposure**

Breathing difficulties, chest discomfort, headache, eye and nose membrane irritation.

### **Emergency and First Aid Procedures**

**Inhalation** - Remove to fresh air. Give oxygen. If not breathing, give artificial respiration. Keep victim quiet. Do not give stimulants. Get immediate medical attention.

**Skin** - If frostbitten, warm skin slowly with water; otherwise, wash affected areas with soap and water. Remove contaminated clothing and launder before reuse. Remove wet foam immediately from skin with acetone or nail polish remover. Dried foam is hard to remove from skin. If foam dries on skin, apply generous amounts of petroleum jelly or lanolin, leave on for one hour, wash thoroughly, and repeat process until foam is removed. Do not attempt to remove dried foam with solvents.

**Eye** - In case of eye contact, flush with water for 15 minutes. Get immediate medical attention.

**Ingestion** - In case of ingestion, get immediate medical attention.

### **SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**

<b>Spills/Leaks</b>	<b>If can ruptures, protect area from heat, sparks, flames, or static electricity. Turn off sources of ignition. Vapors are heavier than air. Make sure area is adequately ventilated. Allow foaming process to complete; then dispose according to federal, state, and local regulation.</b>
<b>Waste Disposal</b>	Dispose of cured foam per federal, state, and local regulations.
<b>Container Disposal</b>	Dispose according to federal, state, and local regulations.
<b>Storage</b>	Always store upright. Storage temperatures: min. 0°F, max. 100°F. Do not store containers in direct sunlight.

### **PRODUCT:**

TOUCH 'N FOAM® ALL-DIRECTION DISPENSING TRIPLE EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING MINIMAL EXPANDING;  
TOUCH 'N FOAM® ALL-DIRECTION DISPENSING FAST DRYING

**SECTION VIII - PERSONAL PROTECTION**

<b>Respiratory Protection</b>	<b>Not applicable</b>
Clothing	Wear gloves and safety glasses. Use in well ventilated areas only. See section IV.
Eye Protection	Safety glasses.
Ventilation	Maintain local exhaust rate to keep below TLV.

**SECTION IX - REGULATORY INFORMATION**

**SARA** -This product contains a toxic chemical (or chemicals) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40CFR 372).

NAME	CAS NO.	AMOUNT
Methylene bisphenyl isocyanate	101-68-8	5-15%

**CERCLA** - Reportable Quantity - yes .....(1 lb. of Methylene bisphenyl isocyanate)

**RCRA** Hazardous Waste - No

**DOT** Proper Shipping Name - Consumer Commodity The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use or misuse are beyond our control, Convenience Products makes no warranty, either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. User should satisfy himself that he has all current data relevant to his particular use.

\*NE - Not Established NA - Not Applicable